




Product Structure


TOP



BOTTOM



SIDE



Product Material




Product size

Product Parameters


Part No.	Voltage	Color	Watts	LEDs	IP	Beam angle	Weight
YJLED-067-S28RGB	DC24V		max5W	28pcs RGB5050	Ip65	120°	110g

R: 625-630nm G: 520-525nm B: 465-470nm Y: 585-595nm O: 600-605nm P: 390-410nm

Product Installation



Turn off the power



Drill hole($\varnothing$ =19mm~23mm)
(A to A=140mm~240mm)

Use the ring to lock this lamp.

Connect the waterproof wire.

Spin this lid in a clockwise direction.




SHENZHEN AGLARE LIGHTING CO., LTD

Web: www.aglare.cn/ www.amusementlamp.com

Email: aglare@aglare.cn

Tel: +86-75588868631

Product Package



WEIGHT/PCS	Box Size	G. W	PCS/CARTON	CARTON SIZE
110g	28*28*16cm	18KG	150pcs	60*30*35cm

Instruction
K=K Material Carton
Electrostatic bag

Caution

Please read the specification before used:

Working temperature range -25°C ~ 45°C

Working voltage range less than $\pm 10\%$

Please turn off the power before installation



SHENZHEN AGLARE LIGHTING CO. , LTD
Web : www.aglare.cn / www.amusementlamp.com
Email : aglare@aglare.cn
Tel : +86-75588868631